Oseberg Kulturhus

Specs Sheet - Oseberg Kulturhus

Venue info – Sound and Lights

1: CONTACT INFO
2: GENERAL INFO
3: SOUND
4: LIGHTS
5: LIGHT PLOT
6: AV
7: STAGING
8: POWER

---

1. Contact

Venue Information
Hege Halvorsen phone - 33 00 41 06 // hege.halvorsen@strawberry.no

Stage manager
Martin Rogstad phone - 99 49 87 84// martin@rogstadlydoglys.no

---

2. General Info

LOAD IN
Access via loading dock. 5m push.

STAGE
19x11m

PRODUCTION AREAS
SL approx. 2,4x6m

FOH
10m from stage OR stage left just outside of stage.

3. Sound

SPL LIMITATIONS
SPL limitations for this venue is LAeq 99dB @ 30min
The SPL measurements will be taken at FOH

SOUND SYSTEM (per side)
28x Adamson S7
6x Adamson S119
4x Adamson S7P (Frontfill)

MONITOR
8x Monitor Channels
6x Martin Audio LE100 (12´´coax)
4x Martin Audio LE200 (15´´coax)

FOH
DiGiCo SD11
DiGiCo DiGiRack 48/16

MICROPHONES AND DI
9 X Shure SM 58
6x Shure SM 57
1x Shure Beta 91A
2x Shure Beta 52A
1x Audio Technica ATM31A

1x Shure SM81
1x Sennheiser e914

STANDS
10 X K&M 210/4B tripod legs tall stand with boom
10 X K&M 260/1B Round base tall stand with boom
10 X K&M 233/1B Round base small stand with boom
Complete package of mic cables, speaker cables and remote boxes

WIRELESS
4x Shure ULX-D Receiver
2x Shure ULX-D Handheld
2x Shure ULX-D Beltpack

For more channels or to add IEMs contact stage manager for a quote

---

4. Lights

The light is set up in a standard configuration and is considered pertinent.
If the layout is changed, please note that expenses for resetting will be charged.

FOH
GrandMA3 Compact

Moving fixtures:
4 x Clay Paky Alpha Spot QWO 800
5 x Clay Paky A.Leda K10
8x Martin Mac Aura XB Standard RGB
8x Martin Era 600 Perfomance

Profiles (located on bridge)
18x Martin ELP WW with Zoom lens (10 on bridge)

Conventional
12x BriTeq BT-Theatre 150EZ Mk2
24ch AVAB DDE dimmers

LED Par
24x TRIBE LumiPar 12UQPro5

Effects
1x MDG Atmosphere hazer plus fan

See light plot for more info

---

5. Lighting Plot

Due to ongoing upgrades of our inventory, light plots will unfortunately not be available at this time. For more information contact our stage manager.

6. AV

PROJECTOR
1x Barco W14 — 14k ANSI-LUMENS

SCREEN
1x Stumpfl 9x5m, 16:9 ratio

SWITCHER
1x BlackMagic Television Studio HD

COMPUTERS
2x Apple Mac Mini

ACCESSORIES
Logitech presentation clickers
Stage monitor
Countdown timer
HDMI-network and HDMI-SDI converters

7. Staging

STAGE DECKS
24x Nivoflex 2x1m stage decks

STAGE LEGS

8. Power

On stage:
2x 63A 400V (One in use by in-house lighting)
2x 32A 400V

Auxilary power:
6x 32A 400V
1x 63A 400V